




TOROBOARD GC1

Coated Folding Box Board With White Back, Hi-Bulk GC1

Gsm	Thickness	Stiffness (Taber 15°)		Smoothness	Gloss %	Brightness	Moisture
	(mm)	CD	MD			TOP	
Tolerance	± 4%	± 10%	± 10%	um	± 5	± 2%	± 1,0%
240	0,350	6,7	13,5	1,0	50,0	88	8,0%
260	0,400	9,2	19,0	1,0	50,0	88	8,0%
280	0,450	11,5	24,0	1,0	50,0	88	8,0%
295	0,475	13,3	27,5	1,0	50,0	88	8,0%
310	0,500	15,1	31,0	1,0	50,0	88	8,0%
335	0,550	18,0	37,0	1,0	50,0	88	8,5%
Standart	ISO 534	ISO 2493		ISO 8791-4	TAPPI T 480	ISO 2470	ISO 287

Made in Finland, EU



TOROBOARD GC1